

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 17    | dual adj operating adj system   | USPAT;  | 2004/04/16 08:32 |
| 2        | 2     | 5278973.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:33 |
| 3        | 2     | 5386565.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:36 |
| 4        | 11807 | instruction adj processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:36 |
| 5        | 4     | (instruction adj processor) and dual adj operating adj system   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:37 |
| 6        | 0     | ((control\$5) near3 (access) near3 reourc\$5) and ((state status) near5 (resourc\$4)) and Flag and (lock\$5 near2 mechanism)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:40 |
| 7        | 0     | ((control\$5) near3 (access) near3 reourc\$5) and ((state status) near5 (resourc\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:40 |
| 8        | 0     | ((control\$5) near3 (access) near3 reourc\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:40 |
| 9        | 21    | ((control\$5) near3 (access) near3 resourc\$5) and ((state status) near5 (resourc\$4)) and Flag and (lock\$5 near2 mechanism) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 08:54 |
| 10       | 2     | 5920872.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 09:09 |
| 11       | 18    | intermodal near3 lock\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/16 09:10 |
| -        | 0     | ("(several plurality multiple) near1 (OS operating system) ")   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:21 |
| -        | 5413  | (several plurality multiple) near1 (operating adj system OS)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:18 |
| -        | 1174  | (several plurality multiple) near1 (operating adj system OS)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:17 |
| -        | 492   | (several plurality multiple) adj (operating adj system OS)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:17 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 31  | ((several plurality multiple)adj(operating adj system OS) ) and switch\$ near2 control  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:11 |
| - | 4   | ((several plurality multiple)adj(operating adj system OS) ) and switch\$ near2 control same interrupt\$   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:17 |
| - | 1   | ((several plurality multiple) near1(operating adj system OS) ) and shar\$ near1 resource\$) and switch\$ near2 control same interrupt\$                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:19 |
| - | 144 | ((several plurality multiple) near1(operating adj system OS) ) and shar\$ near1 resource\$  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:00 |
| - | 67  | ((several plurality multiple) near1(operating adj system OS) ) and shar\$ near1 resource\$) and @AD<19980911  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:00 |
| - | 15  | ((several plurality multiple) near1(operating adj system OS) ) and shar\$ near1 resource\$) and @AD<19980911) and shar\$ near1 resource\$ same interrupt\$3 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:01 |
| - | 0   | (several plurality multiple)adj(operating adj system OS) and dynamic\$5 adj debug\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:35 |
| - | 120 | (several plurality multiple)adj(operating adj system OS) and Monitoring   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:50 |
| - | 7   | (several plurality multiple)adj(operating adj system OS) and Monitoring near function\$6  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:37 |
| - | 22  | (several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:44 |
| - | 0   | ((several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6) and 709/3109  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:45 |
| - | 0   | ((several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6) and 709/319   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:46 |
| - | 0   | ((several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6) and 709/329   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:46 |
| - | 0   | ((several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6) and 709/107   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:46 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 0    | ((several plurality multiple)adj(operating adj system OS) and Monitoring near6 function\$6) and 709/103        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:46 |
| - | 2    | ((several plurality multiple)adj(operating adj system OS) and Monitoring) and 709/103                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:48 |
| - | 4    | ((several plurality multiple)adj(operating adj system OS) and Monitoring) and 709/107                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:50 |
| - | 0    | ((several plurality multiple)adj(operating adj system OS) and Monitoring) and 709/319                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:50 |
| - | 0    | ((several plurality multiple)adj(operating adj system OS) and Monitoring) and 709/329                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:50 |
| - | 41   | ((several plurality multiple)adj(operating adj system OS) and Monitoring) and debugg\$3                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:51 |
| - | 5413 | (several plurality multiple) near1(operating adj system OS)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:18 |
| - | 3601 | ((Configur\$6 Install\$6 Load\$6)and(several plurality multiple) near1(operating adj system OS))               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:20 |
| - | 2500 | ((Configur\$6 Install\$6 Load\$6)and(several plurality multiple)adj(operating adj system OS))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:21 |
| - | 376  | ((Configur\$6 Install\$6 Load\$6)and(several plurality multiple)adj(operating adj system OS)) ) and "709"      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 09:21 |
| - | 0    | JP363311442  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 15:56 |
| - | 1    | JP363311442\$  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 15:56 |
| - | 53   | (plurality multiple)near10(operating adj system OS) and (multiple near5 (operating adj system) near5 driver)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 10:14 |
| - | 53   | (plurality multiple)near10((operating adj system) OS) and (multiple near5 (operating adj system) near5 driver) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 10:13 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 426 | system near5 commander   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 10:14 |
| - | 5   | (system near5 commander) and ((plurality dual)near10((operating adj system) OSs))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 10:17 |
| - | 687 | (Manag\$4 run\$6) near10 ((plurality dual)near10((operating adj system) OSs))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 10:26 |
| - | 2   | 6230116.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 11:34 |
| - | 272 | (simultaneous concurrent) near5 (execution) near5 (OSs (operating adj systems))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 11:35 |
| - | 56  | (simultaneous concurrent) adj5 (execution) adj5 (OSs (operating adj systems))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 11:35 |
| - | 2   | 5483647.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 12:09 |
| - | 56  | (simultaneous concurrent) adj5 (execution) adj5 (OSs (operating adj systems))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 15:56 |
| - | 8   | ((install\$5 configur\$5) near5 ((dual multiple) near3 (oss (operat\$4 adj systems))) and (device adj driver) and ((common supervisory)near5 (driver program routine)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 12:15 |
| - | 186 | (install\$5 configur\$5) near5 ((dual multiple) near3 (oss (operat\$4 adj systems)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:25 |
| - | 2   | 6067618.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 12:27 |
| - | 2   | 5483647.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:17 |
| - | 2   | 5640562.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:19 |
| - | 2   | 5675795.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:19 |

|   |         |   |   |                  |
|---|---------|---|---|------------------|
| - | 2       | 5887163.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:19 |
| - | 1532111 | (common supervisory control\$5) adj5 (program routine control layer)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:06 |
| - | 111     | ((common supervisory control\$5) adj5 (program routine control layer)) and (install\$5 configur\$5) near5 ((dual multi multiple) near3 (oss (operat\$4 adj systems))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:28 |
| - | 322     | (manag\$5 install\$5 configur\$5) adj5 ((dual multi multiple plural)near5 (OSs (operating adj systems)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:43 |
| - | 148     | (manag\$5 install\$5 configur\$5) adj2 ((dual multi multiple plural)near5 (OSs (operating adj systems)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:58 |
| - | 1173    | (runtime dynamically)near5 (assign\$5 allocat\$5) near5 (hardware resources device42)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 13:59 |
| - | 61      | ((runtime dynamically)near5 (assign\$5 allocat\$5) near5 (hardware resources device42)) and ((dual multiple multi plural) near2 (OSs (operating adj systems)))        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:07 |
| - | 36267   | (common supervisory) adj2 (program control driver multios)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:07 |
| - | 66      | ((common supervisory) adj2 (program control driver multios)) and ((dual multiple multi plural) adj (OSs (operating adj systems)))                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:19 |
| - | 2       | 6336120.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:19 |
| - | 0       | (common supervisory) near4 (dual multiple multi plural) near2 (OSs (operating adj systems)) near5 driver  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:22 |
| - | 2       | (common supervisory) near10 (dual multiple multi plural) near2 (OSs (operating adj systems)) near5 driver   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:27 |
| - | 3       | (common supervisory) near10 (dual multiple multi plural) near10 (OSs (operating adj systems)) near10 driver   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:28 |
| - | 265     | (dual multiple multi plural) near10 (OSs (operating adj systems)) near10 driver   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:30 |

|   |    |  |   |                  |
|---|----|--|---|------------------|
| - | 4  | (dual multiple multi plural) adj2(OSs<br>(operating adj systems)) adj driver     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:30 |
| - | 5  | (dual multiple multi plural) adj6 (OSs<br>(operating adj systems)) adj driver    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:30 |
| - | 82 | (dual multiple multi plural) near4 (OSs<br>(operating adj systems)) near4 driver | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:45 |
| - | 2  | 4982324.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:45 |
| - | 2  | 5134580.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:47 |
| - | 2  | 5497455.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:47 |
| - | 2  | 5548703.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:48 |
| - | 2  | 5572641.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:48 |
| - | 2  | 5615347.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:49 |
| - | 2  | 5673403.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:49 |
| - | 2  | 6067618.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:50 |
| - | 2  | 5483647.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:50 |
| - | 2  | 5278973.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:53 |
| - | 2  | 4835677.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:55 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 2     | 4747040.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 14:58 |
| - | 2     | 4609920.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 15:08 |
| - | 0     | (convert\$5 chang\$5 mak\$6) adj5 (OS adj<br>driver) near5 (common (multi adj OS))adj5<br>(driver)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 15:11 |
| - | 0     | (convert\$5 chang\$5 mak\$6) near5 (OS adj<br>driver) near5 (common (multi adj OS))adj5<br>(driver)                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 15:12 |
| - | 0     | (use using transform) near5 (OS adj driver)<br>near5 (common (multi adj OS))adj5 (driver)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:06 |
| - | 54    | (convert\$5 chang\$5 mak\$6) near5 (OS adj<br>driver)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 15:50 |
| - | 59237 | dual adj operating system adj computer  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:57 |
| - | 0     | (dual adj operating system adj computer) and<br>(use using transform) near5 (OS adj driver)<br>near5 (common (multi adj OS))adj5 (driver) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:57 |
| - | 34    | System adj commander  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:00 |
| - | 2     | 5617560.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:01 |
| - | 2     | 5640562.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:01 |
| - | 2     | 5675795.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:02 |
| - | 2     | 5887163.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:02 |
| - | 2     | 5920709.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:02 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 2   | 5887163.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:03 |
| - | 2   | 5845282.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:03 |
| - | 2   | 5617560.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:04 |
| - | 2   | 5689701.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:05 |
| - | 464 | (hardware software)adj3 abstraction adj3<br>(layer program)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:05 |
| - | 0   | ((hardware software)adj3 abstraction adj3<br>(layer program)) and(OS adj driver) near5<br>(common (multi adj OS))adj5 (driver)          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:07 |
| - | 0   | ((hardware software)adj3 abstraction adj3<br>(layer program)) and (dual multiple) near2<br>(OSs)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:07 |
| - | 47  | ((hardware software)adj3 abstraction adj3<br>(layer program)) and ((dual multiple multi<br>plural) near2 (OSs (operating adj systems))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:14 |
| - | 2   | 5696702.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:15 |
| - | 52  | ((common shared) adj (device adj driver))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:28 |
| - | 2   | 3768074.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:37 |
| - | 4   | 3812469.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:39 |
| - | 2   | 3641505.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:39 |
| - | 274 | (dual adj operating system adj computer) and<br>((manag\$4 control\$5) near5 (interrupt adj<br>request))                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:52 |



|   |    |  |   |                  |
|---|----|--|---|------------------|
| - | 0  | (dual adj operating system adj computer) and ((common) near5 (interrupt adj request) near2 handler)                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:53 |
| - | 3  | ((common) near5 (interrupt adj request) near2 handler)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:53 |
| - | 0  | (dual adj operating adj system) and (use using transform) near5 (OS adj driver) near5 (common (multi adj OS))adj5 (driver) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:58 |
| - | 40 | dual adj operating adj system  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/04/15 16:58 |